

P30W58

5,8m.

STRIQE




• Profilo telaio per porte in vetro. Per vetri porta di 10-12mm. Fissaggio a muro o su vetro.

• Perfil marco para puertas en vidrio. Sujeta vidrios de 10-12mm. Fijación a pared o a vidrio.


• Profile for 10-12mm glass doors. Mountable on standard walls or glass.

• Zargenprofil für Glastüren. Glasdicke von 10 bis 12mm. Befestigung an der Mauer oder am Glas.


• Profil pour portes en verre de 10-12 mm. Fixation sur mur ou sur verre.



Fissaggio a muro / Wall fixing



Fissaggio a vetro / Glass fixing



Guarnizioni per fissaggio a vetro da ordinare in base allo spessore del vetro
Gaskets for glass fixing to be purchased according to the glass thickness

KJP30W10



Coppia di guarnizioni L=5,8m.
Pareja de guarniciones L=5,8m.
Pair of gaskets L=5,8m.
Paar Dichtungsbänder L=5,8m.
Paire de garniture L= 5,8 m.



KJP30W12




Coppia di guarnizioni L=5,8m.
Pareja de guarniciones L=5,8m.
Pair of gaskets L=5,8m.
Paar Dichtungsbänder L=5,8m.
Paire de garniture L= 5,8 m.




Compreso / Included

P30WP21 (x4)




Piatto di allineamento
Platillo de alineación
Alignment plate
Ausgleichplatte
Plateau d'alignement

P30WP22 (x2)



Squadra di fissaggio
Escuadra de fijación
Mounting bracket
Befestigungswinkel
Équerre de fixation



P30WP40/58 (x1)

Profilo battuta L 5800mm
Perfil para jamba L=5800mm
Profile for doors with rebate, length: 5800mm
Profil für Türen mit Stop L=5800mm
Profil en butée L=5800mm






P30WJ01/58 (x1)

Guarnizione per porta L 5800mm
Sellar para puertas L=5800mm
Seal for door, length: 5800mm
Türdichtung für Seitenteil Befestigung L=5800mm
Joints pour porte L = 5800 mm


Non compreso / Not included

P20E





0P30W

Piastrina regolabile per profilo P30W
Platilla ajustable para perfil P30W
Adjustable plate for P30W profile
Schließblech regulierbar für das Profil P30W
Plaquette réglable pour profil P30W



P30WP90

Elemento di collegamento con P20E
Pieza de conexión con P20E
Link with P20E
Verbindungselement passend zu P20E
Élément de raccord avec P20E




Flexa series



0P30W



LOQ series



0P30W




622E10



0622E12



620E10




0P30W





8664P

STRIQE





- Cerniera laterale tonda per profilo P30W.
- Bisagra lateral redonda para perfil P30W.
- Round side hinge for P30W profile.
- Seitliches Band in Rundform passend zu Profil P30W.
- Charnière latérale ronde pour profil P30W





8665P

STRIQE





- Cerniera laterale per profilo P30W.
- Bisagra lateral para perfil P30W.
- Round side hinge for P30W profile.
- Seitliches Band in Eckform passend zu ProfilP30W.
- Charnière latérale pour profil P30W





8810P

STRIQE




- Cerniera laterale FLEXA per profilo P30W.
- Bisagra lateral Flexa para perfil P30W.
- Round hinge FLEXA for P30W profile.
- Seitlicher Band FLEXA passend zu Profil P30W.
- Charnière latérale FLEXA pour profil P30W.





8674P


STRIQE




- Cerniera laterale per profilo P30W.
- Bisagra lateral para perfil P30W.
- Round side hinge for P30W profile.
- Seitliches vertikales Band zu P30W.
- Charnière latérale pour profil P30W.



Configurazioni possibili / Possible configurations



Dimensionamento vetri / Glass sizes



$$2. C = W_C - 27,5 \text{ mm}$$

$$D = H - 27 \text{ mm}$$

$$1. A = W_A - 12 \text{ mm}$$

$$B = H_B - 14 \text{ mm}$$

$$3. E = W_D - 27,5 \text{ mm}$$

$$F = H - 27 \text{ mm}$$

$$4. G = W_A + 26 \text{ mm}$$

$$K = H_A - 27,5 \text{ mm}$$